


SINGLE SEAL


Example: 1PW-PWR16M26-12 (MRP Series Lined Bearing: 1.00" ID x 1.625" OD x 0.75" Long (with a polyurethane press-in wiper seal))



BEARING PART NUMBER	NOMINAL ID	ID	OD	BORE DIAMETER	PRESS FIT	PIN DIAMETER	RUNNING CLEARANCE	GROOVE DIAMETER	GROOVE WIDTH (+/-0.010)	MAXIMUM BEARING LENGTH - 1 SEAL (+/-0.010)
1PW-PWR08M18-XX	1/2	0.5058 0.5088	1.1276 1.1296	1.125 1.127	0.0006 0.0046	0.5000 0.4980	0.0012 0.0103	1.0010 1.0040	0.3125	0.5625
1PW-PWR10M20-XX	5/8	0.6309 0.6339	1.2526 1.2546	1.250 1.252	0.0006 0.0046	0.6250 0.6230	0.0013 0.0103	1.1260 1.1290	0.3125	0.7500
1PW-PWR12M22-XX	3/4	0.7560 0.7590	1.3777 1.3797	1.375 1.377	0.0007 0.0047	0.7500 0.7480	0.0013 0.0104	1.2510 1.2540	0.3750	0.8125
1PW-PWR14M24-XX	7/8	0.8811 0.8841	1.5027 1.5047	1.500 1.502	0.0007 0.0047	0.8750 0.8730	0.0014 0.0104	1.3760 1.3790	0.3750	0.9375
1PW-PWR16M26-XX	1	1.0062 1.0092	1.6278 1.6298	1.625 1.627	0.0008 0.0048	1.0000 0.9980	0.0014 0.0105	1.5010 1.5040	0.3750	1.0625
1PW-PWR18M28-XX	1 1/8	1.1314 1.1344	1.7528 1.7548	1.750 1.752	0.0008 0.0048	1.1250 1.1230	0.0016 0.0106	1.6260 1.6290	0.3750	1.1875
1PW-PWR20M30-XX	1 1/4	1.2564 1.2594	1.8779 1.8799	1.875 1.877	0.0009 0.0049	1.2500 1.2480	0.0015 0.0106	1.7510 1.7540	0.3750	1.3750
1PW-PWR22M32-XX	1 3/8	1.3816 1.3856	2.0029 2.0049	2.000 2.002	0.0009 0.0049	1.3750 1.3730	0.0017 0.0117	1.8760 1.8790	0.3750	1.5000
1PW-PWR24M34-XX	1 1/2	1.5067 1.5107	2.1280 2.1300	2.125 2.127	0.0010 0.0049	1.5000 1.4980	0.0018 0.0117	2.0010 2.0040	0.3750	1.6250
1PW-PWR26M36-XX	1 5/8	1.6318 1.6358	2.2530 2.2550	2.250 2.252	0.0010 0.0050	1.6250 1.6230	0.0018 0.0118	2.1260 2.1290	0.3750	1.8125
1PW-PWR28M38-XX	1 3/4	1.7569 1.7609	2.3781 2.3801	2.375 2.377	0.0011 0.0050	1.7500 1.7480	0.0019 0.0118	2.2510 2.2540	0.3750	2.0000
1PW-PWR30M40-XX	1 7/8	1.8820 1.8860	2.5031 2.5051	2.500 2.502	0.0011 0.0051	1.8750 1.8730	0.0019 0.0119	2.3760 2.3790	0.3750	2.0000
1PW-PWR32M42-XX	2	2.0071 2.0111	2.6292 2.6312	2.625 2.628	0.0011 0.0061	2.0000 1.9980	0.0010 0.0119	2.5010 2.5040	0.3750	2.1875
1PW-PWR34M44-XX	2 1/8	2.1333 2.1373	2.7542 2.7562	2.750 2.753	0.0012 0.0062	2.1250 2.1230	0.0021 0.0131	2.6260 2.6290	0.3750	2.1875
1PW-PWR36M46-XX	2 1/4	2.2583 2.2623	2.8793 2.8813	2.875 2.878	0.0013 0.0063	2.2500 2.2480	0.0021 0.0130	2.7510 2.7540	0.3750	2.3750
1PW-PWR38M48-XX	2 3/8	2.3835 2.3875	3.0043 3.0063	3.000 3.003	0.0013 0.0063	2.3750 2.3730	0.0022 0.0132	2.8760 2.8790	0.3750	2.5625
1PW-PWR40M50-XX	2 1/2	2.5086 2.5126	3.1294 3.1314	3.125 3.128	0.0014 0.0064	2.5000 2.4980	0.0022 0.0132	3.0010 3.0040	0.3750	2.7500
1PW-PWR44M54-XX	2 3/4	2.7588 2.7628	3.3795 3.3815	3.375 3.378	0.0015 0.0065	2.7500 2.7470	0.0023 0.0143	3.2510 3.2540	0.3750	3.1250
1PW-PWR48M58-XX	3	3.0090 3.0130	3.6296 3.6316	3.625 3.628	0.0016 0.0066	3.0000 2.9970	0.0024 0.0144	3.5010 3.5040	0.3750	3.5000
1PW-PWR52M62-XX	3 1/4	3.2592 3.2632	3.8797 3.8817	3.875 3.878	0.0017 0.0067	3.2500 3.2470	0.0025 0.0145	3.7510 3.7540	0.3750	3.9375
1PW-PWR56M66-XX	3 1/2	3.5095 3.5135	4.1298 4.1318	4.125 4.128	0.0018 0.0068	3.5000 3.4970	0.0027 0.0147	4.0010 4.0040	0.3750	3.9375
1PW-PWR60M74-XX	3 3/4	3.7597 3.7637	4.6299 4.6319	4.625 4.628	0.0019 0.0069	3.7500 3.7470	0.0029 0.0149	4.5001 4.5031	0.3750	4.3750
1PW-PWR64M76-XX	4	4.0099 4.0139	4.7550 4.7570	4.750 4.753	0.0019 0.0069	4.0000 3.9970	0.0030 0.0149	4.6260 4.6290	0.3750	4.6875
1PW-PWR68M80-XX	4 1/4	4.2601 4.2641	5.0051 5.0071	5.000 5.003	0.0021 0.0071	4.2500 4.2470	0.0031 0.0150	4.8760 4.8790	0.3750	5.1250
1PW-PWR72M84-XX	4 1/2	4.5104 4.5144	5.2552 5.2572	5.250 5.253	0.0022 0.0072	4.5000 4.4970	0.0032 0.0153	5.1260 5.1290	0.3750	5.5625
1PW-PWR76M88-XX	4 3/4	4.7606 4.7646	5.5053 5.5073	5.500 5.503	0.0023 0.0072	4.7500 4.7470	0.0034 0.0153	5.3760 5.3790	0.3750	6.0000
1PW-PWR80M92-XX	5	5.0108 5.0148	5.7554 5.7574	5.750 5.753	0.0023 0.0073	5.0000 4.9970	0.0034 0.0155	5.6260 5.6290	0.3750	6.5000


SINGLE SEAL

Example: 1PW-PWR32M44-40 (MRP Series Lined Bearing: 2.00" ID x 2.75" OD x 2.5" Long (with a polyurethane press-in wiper seal))



BEARING PART NUMBER	NOMINAL ID	ID	OD	BORE DIAMETER	PRESS FIT	PIN DIAMETER	RUNNING CLEARANCE	GROOVE DIAMETER	GROOVE WIDTH (+/-0.010)	MAXIMUM BEARING LENGTH - 1 SEAL (+/-0.010)
1PW-PWR08M20-XX	1/2	0.5058 0.5088	1.2526 1.2546	1.250 1.252	0.0006 0.0046	0.5000 0.4980	0.0012 0.0102	1.0010 1.0040	0.3125	1.0000
1PW-PWR10M22-XX	5/8	0.6309 0.6339	1.3777 1.3797	1.375 1.377	0.0007 0.0047	0.6250 0.6230	0.0012 0.0103	1.1260 1.1290	0.3125	1.1875
1PW-PWR12M24-XX	3/4	0.7560 0.7590	1.5027 1.5047	1.500 1.502	0.0007 0.0047	0.7500 0.7480	0.0013 0.0103	1.2510 1.2540	0.3750	1.4375
1PW-PWR14M26-XX	7/8	0.8811 0.8841	1.6278 1.6298	1.625 1.627	0.0008 0.0048	0.8750 0.8730	0.0013 0.0104	1.3760 1.3790	0.3750	1.6250
1PW-PWR16M28-XX	1	1.0062 1.0092	1.7528 1.7548	1.750 1.752	0.0008 0.0048	1.0000 0.9980	0.0014 0.0104	1.5010 1.5040	0.3750	1.8125
1PW-PWR18M30-XX	1 1/8	1.1314 1.1344	1.8779 1.8799	1.875 1.877	0.0009 0.0049	1.1250 1.1230	0.0015 0.0106	1.6260 1.6290	0.3750	2.0625
1PW-PWR20M32-XX	1 1/4	1.2564 1.2594	2.0029 2.0049	2.000 2.002	0.0009 0.0049	1.2500 1.2480	0.0015 0.0105	1.7510 1.7540	0.3750	2.3125
1PW-PWR22M34-XX	1 3/8	1.3816 1.3856	2.1280 2.1300	2.125 2.127	0.0010 0.0049	1.3750 1.3730	0.0017 0.0116	1.8760 1.8790	0.3750	2.5625
1PW-PWR24M36-XX	1 1/2	1.5067 1.5107	2.2530 2.2550	2.250 2.252	0.0010 0.0050	1.5000 1.4980	0.0017 0.0117	2.0010 2.0040	0.3750	2.8125
1PW-PWR26M38-XX	1 5/8	1.6318 1.6358	2.3781 2.3801	2.375 2.377	0.0011 0.0050	1.6250 1.6230	0.0018 0.0117	2.1260 2.1290	0.3750	3.1250
1PW-PWR28M40-XX	1 3/4	1.7569 1.7609	2.5031 2.5051	2.500 2.502	0.0011 0.0051	1.7500 1.7480	0.0018 0.0118	2.2510 2.2540	0.3750	3.4375
1PW-PWR30M42-XX	1 7/8	1.8820 1.8860	2.6282 2.6302	2.625 2.628	0.0001 0.0051	1.8750 1.8730	0.0019 0.0129	2.3760 2.3790	0.3750	3.4375
1PW-PWR32M44-XX	2	2.0071 2.0111	2.7542 2.7562	2.750 2.753	0.0012 0.0062	2.0000 1.9980	0.0009 0.0119	2.5010 2.5040	0.3750	3.7500
1PW-PWR34M46-XX	2 1/8	2.1333 2.1373	2.8793 2.8813	2.875 2.878	0.0013 0.0063	2.1250 2.1230	0.0021 0.0130	2.6260 2.6290	0.3750	3.7500
1PW-PWR36M48-XX	2 1/4	2.2583 2.2623	3.0043 3.0063	3.000 3.003	0.0013 0.0063	2.2500 2.2480	0.0020 0.0130	2.7510 2.7540	0.3750	4.0000
1PW-PWR38M50-XX	2 3/8	2.3835 2.3875	3.1294 3.1314	3.125 3.128	0.0014 0.0064	2.3750 2.3730	0.0021 0.0131	2.8760 2.8790	0.3750	4.3125
1PW-PWR40M52-XX	2 1/2	2.5086 2.5126	3.2544 3.2564	3.250 3.253	0.0014 0.0064	2.5000 2.4980	0.0022 0.0132	3.0010 3.0040	0.3750	4.6250
1PW-PWR44M56-XX	2 3/4	2.7588 2.7628	3.5045 3.5065	3.500 3.503	0.0015 0.0065	2.7500 2.7470	0.0023 0.0143	3.2510 3.2540	0.3750	5.2500
1PW-PWR48M60-XX	3	3.0090 3.0130	3.7546 3.7566	3.750 3.753	0.0016 0.0066	3.0000 2.9970	0.0024 0.0144	3.5010 3.5040	0.3750	5.9375
1PW-PWR52M64-XX	3 1/4	3.2592 3.2632	4.0047 4.0067	4.000 4.003	0.0017 0.0067	3.2500 3.2470	0.0025 0.0145	3.7510 3.7540	0.3750	6.6875
1PW-PWR56M68-XX	3 1/2	3.5095 3.5135	4.2548 4.2568	4.250 4.253	0.0018 0.0068	3.5000 3.4970	0.0027 0.0147	4.0010 4.0040	0.3750	6.9375
1PW-PWR60M76-XX	3 3/4	3.7597 3.7637	4.7549 4.7569	4.750 4.753	0.0019 0.0069	3.7500 3.7470	0.0028 0.0148	4.5001 4.5031	0.3750	7.4375
1PW-PWR64M78-XX	4	4.0099 4.0139	4.8800 4.8820	4.875 4.878	0.0020 0.0070	4.0000 3.9970	0.0029 0.0149	4.6260 4.6290	0.3750	8.1250
1PW-PWR68M82-XX	4 1/4	4.2601 4.2641	5.1301 5.1321	5.125 5.128	0.0021 0.0071	4.2500 4.2470	0.0030 0.0150	4.8760 4.8790	0.3750	8.8750
1PW-PWR72M86-XX	4 1/2	4.5104 4.5144	5.3802 5.3822	5.375 5.378	0.0022 0.0072	4.5000 4.4970	0.0032 0.0152	5.1260 5.1290	0.3750	9.6250
1PW-PWR76M90-XX	4 3/4	4.7606 4.7646	5.6303 5.6323	5.625 5.628	0.0023 0.0073	4.7500 4.7470	0.0033 0.0153	5.3760 5.3790	0.3750	10.3750
1PW-PWR80M94-XX	5	5.0108 5.0148	5.8804 5.8824	5.875 5.878	0.0024 0.0074	5.0000 4.9970	0.0034 0.0154	5.6260 5.6290	0.3750	11.1875


DOUBLE SEAL



Example: PWR16M26-20-2MC (MRP Series Lined Bearing: 1.00" ID x 1.625" OD x 1.25" Long
(with two polyurethane press-in wiper seals)

BEARING PART NUMBER	NOMINAL ID	ID	OD	BORE DIAMETER	PRESS FIT	PIN DIAMETER	RUNNING CLEARANCE	GROOVE DIAMETER	GROOVE WIDTH (+/-0.010)	MAXIMUM BEARING LENGTH - 2 SEALS (+/-0.010)
2PW-PWR08M18-XX	1/2	0.5058 0.5088	1.1276 1.1296	1.125 1.127	0.0006 0.0046	0.5000 0.4980	0.0012 0.0103	1.0010 1.0040	0.3125	0.7500
2PW-PWR10M20-XX	5/8	0.6309 0.6339	1.2526 1.2546	1.250 1.252	0.0006 0.0046	0.6250 0.6230	0.0013 0.0103	1.1260 1.1290	0.3125	0.9375
2PW-PWR12M22-XX	3/4	0.7560 0.7590	1.3777 1.3797	1.375 1.377	0.0007 0.0047	0.7500 0.7480	0.0013 0.0104	1.2510 1.2540	0.3750	1.0000
2PW-PWR14M24-XX	7/8	0.8811 0.8841	1.5027 1.5047	1.500 1.502	0.0007 0.0047	0.8750 0.8730	0.0014 0.0104	1.3760 1.3790	0.3750	1.1250
2PW-PWR16M26-XX	1	1.0062 1.0092	1.6278 1.6298	1.625 1.627	0.0008 0.0048	1.0000 0.9980	0.0014 0.0105	1.5010 1.5040	0.3750	1.2500
2PW-PWR18M28-XX	1 1/8	1.1314 1.1344	1.7528 1.7548	1.750 1.752	0.0008 0.0048	1.1250 1.1230	0.0016 0.0106	1.6260 1.6290	0.3750	1.3750
2PW-PWR20M30-XX	1 1/4	1.2564 1.2594	1.8779 1.8799	1.875 1.877	0.0009 0.0049	1.2500 1.2480	0.0015 0.0106	1.7510 1.7540	0.3750	1.5625
2PW-PWR22M32-XX	1 3/8	1.3816 1.3856	2.0029 2.0049	2.000 2.002	0.0009 0.0049	1.3750 1.3730	0.0017 0.0117	1.8760 1.8790	0.3750	1.6875
2PW-PWR24M34-XX	1 1/2	1.5067 1.5107	2.1280 2.1300	2.125 2.127	0.0010 0.0049	1.5000 1.4980	0.0018 0.0117	2.0010 2.0040	0.3750	1.8125
2PW-PWR26M36-XX	1 5/8	1.6318 1.6358	2.2530 2.2550	2.250 2.252	0.0010 0.0050	1.6250 1.6230	0.0018 0.0118	2.1260 2.1290	0.3750	2.0000
2PW-PWR28M38-XX	1 3/4	1.7569 1.7609	2.3781 2.3801	2.375 2.377	0.0011 0.0050	1.7500 1.7480	0.0019 0.0118	2.2510 2.2540	0.3750	2.1875
2PW-PWR30M40-XX	1 7/8	1.8820 1.8860	2.5031 2.5051	2.500 2.502	0.0011 0.0051	1.8750 1.8730	0.0019 0.0119	2.3760 2.3790	0.3750	2.1875
2PW-PWR32M42-XX	2	2.0071 2.0111	2.6292 2.6312	2.625 2.628	0.0011 0.0061	2.0000 1.9980	0.0010 0.0119	2.5010 2.5040	0.3750	2.3750
2PW-PWR34M44-XX	2 1/8	2.1333 2.1373	2.7542 2.7562	2.750 2.753	0.0012 0.0062	2.1250 2.1230	0.0021 0.0131	2.6260 2.6290	0.3750	2.3750
2PW-PWR36M46-XX	2 1/4	2.2583 2.2623	2.8793 2.8813	2.875 2.878	0.0013 0.0063	2.2500 2.2480	0.0021 0.0130	2.7510 2.7540	0.3750	2.5625
2PW-PWR38M48-XX	2 3/8	2.3835 2.3875	3.0043 3.0063	3.000 3.003	0.0013 0.0063	2.3750 2.3730	0.0022 0.0132	2.8760 2.8790	0.3750	2.7500
2PW-PWR40M50-XX	2 1/2	2.5086 2.5126	3.1294 3.1314	3.125 3.128	0.0014 0.0064	2.5000 2.4980	0.0022 0.0132	3.0010 3.0040	0.3750	2.9375
2PW-PWR44M54-XX	2 3/4	2.7588 2.7628	3.3795 3.3815	3.375 3.378	0.0015 0.0065	2.7500 2.7470	0.0023 0.0143	3.2510 3.2540	0.3750	3.3125
2PW-PWR48M58-XX	3	3.0090 3.0130	3.6296 3.6316	3.625 3.628	0.0016 0.0066	3.0000 2.9970	0.0024 0.0144	3.5010 3.5040	0.3750	3.6875
2PW-PWR52M62-XX	3 1/4	3.2592 3.2632	3.8797 3.8817	3.875 3.878	0.0017 0.0067	3.2500 3.2470	0.0025 0.0145	3.7510 3.7540	0.3750	4.1250
2PW-PWR56M66-XX	3 1/2	3.5095 3.5135	4.1298 4.1318	4.125 4.128	0.0018 0.0068	3.5000 3.4970	0.0027 0.0147	4.0010 4.0040	0.3750	4.1250
2PW-PWR60M74-XX	3 3/4	3.7597 3.7637	4.6299 4.6319	4.625 4.628	0.0019 0.0069	3.7500 3.7470	0.0029 0.0149	4.5001 4.5031	0.3750	4.5625
2PW-PWR64M76-XX	4	4.0099 4.0139	4.7550 4.7570	4.750 4.753	0.0019 0.0069	4.0000 3.9970	0.0030 0.0149	4.6260 4.6290	0.3750	4.8750
2PW-PWR68M80-XX	4 1/4	4.2601 4.2641	5.0051 5.0071	5.000 5.003	0.0021 0.0071	4.2500 4.2470	0.0031 0.0150	4.8760 4.8790	0.3750	5.3125
2PW-PWR72M84-XX	4 1/2	4.5104 4.5144	5.2552 5.2572	5.250 5.253	0.0022 0.0072	4.5000 4.4970	0.0032 0.0153	5.1260 5.1290	0.3750	5.7500
2PW-PWR76M88-XX	4 3/4	4.7606 4.7646	5.5053 5.5073	5.500 5.503	0.0023 0.0072	4.7500 4.7470	0.0034 0.0153	5.3760 5.3790	0.3750	6.1875
2PW-PWR80M92-XX	5	5.0108 5.0148	5.7554 5.7574	5.750 5.753	0.0023 0.0073	5.0000 4.9970	0.0034 0.0155	5.6260 5.6290	0.3750	6.6875

DOUBLE SEAL




Example: PWR20M32-24-2MC (MRP Series Lined Bearing: 1.25" ID x 2.00" OD x 1.50" Long (with two polyurethane press-in wiper seals)

BEARING PART NUMBER	NOMINAL ID	ID	OD	BORE DIAMETER	PRESS FIT	PIN DIAMETER	RUNNING CLEARANCE	GROOVE DIAMETER	GROOVE WIDTH (+/-0.010)	MAXIMUM BEARING LENGTH - 2 SEALS (+/-0.010)
2PW-PWR08M20-XX	1/2	0.5058 0.5088	1.2526 1.2546	1.250 1.252	0.0006 0.0046	0.5000 0.4980	0.0012 0.0102	1.0010 1.0040	0.3125	1.1875
2PW-PWR10M22-XX	5/8	0.6309 0.6339	1.3777 1.3797	1.375 1.377	0.0007 0.0047	0.6250 0.6230	0.0012 0.0103	1.1260 1.1290	0.3125	1.3750
2PW-PWR12M24-XX	3/4	0.7560 0.7590	1.5027 1.5047	1.500 1.502	0.0007 0.0047	0.7500 0.7480	0.0013 0.0103	1.2510 1.2540	0.3750	1.6250
2PW-PWR14M26-XX	7/8	0.8811 0.8841	1.6278 1.6298	1.625 1.627	0.0008 0.0048	0.8750 0.8730	0.0013 0.0104	1.3760 1.3790	0.3750	1.8125
2PW-PWR16M28-XX	1	1.0062 1.0092	1.7528 1.7548	1.750 1.752	0.0008 0.0048	1.0000 0.9980	0.0014 0.0104	1.5010 1.5040	0.3750	2.0000
2PW-PWR18M30-XX	1 1/8	1.1314 1.1344	1.8779 1.8799	1.875 1.877	0.0009 0.0049	1.1250 1.1230	0.0015 0.0106	1.6260 1.6290	0.3750	2.2500
2PW-PWR20M32-XX	1 1/4	1.2564 1.2594	2.0029 2.0049	2.000 2.002	0.0009 0.0049	1.2500 1.2480	0.0015 0.0105	1.7510 1.7540	0.3750	2.5000
2PW-PWR22M34-XX	1 3/8	1.3816 1.3856	2.1280 2.1300	2.125 2.127	0.0010 0.0049	1.3750 1.3730	0.0017 0.0116	1.8760 1.8790	0.3750	2.7500
2PW-PWR24M36-XX	1 1/2	1.5067 1.5107	2.2530 2.2550	2.250 2.252	0.0010 0.0050	1.5000 1.4980	0.0017 0.0117	2.0010 2.0040	0.3750	3.0000
2PW-PWR26M38-XX	1 5/8	1.6318 1.6358	2.3781 2.3801	2.375 2.377	0.0011 0.0050	1.6250 1.6230	0.0018 0.0117	2.1260 2.1290	0.3750	3.3125
2PW-PWR28M40-XX	1 3/4	1.7569 1.7609	2.5031 2.5051	2.500 2.502	0.0011 0.0051	1.7500 1.7480	0.0018 0.0118	2.2510 2.2540	0.3750	3.6250
2PW-PWR30M42-XX	1 7/8	1.8820 1.8860	2.6282 2.6302	2.625 2.628	0.0001 0.0051	1.8750 1.8730	0.0019 0.0129	2.3760 2.3790	0.3750	3.6250
2PW-PWR32M44-XX	2	2.0071 2.0111	2.7542 2.7562	2.750 2.753	0.0012 0.0062	2.0000 1.9980	0.0009 0.0119	2.5010 2.5040	0.3750	3.9375
2PW-PWR34M46-XX	2 1/8	2.1333 2.1373	2.8793 2.8813	2.875 2.878	0.0013 0.0063	2.1250 2.1230	0.0021 0.0130	2.6260 2.6290	0.3750	3.9375
2PW-PWR36M48-XX	2 1/4	2.2583 2.2623	3.0043 3.0063	3.000 3.003	0.0013 0.0063	2.2500 2.2480	0.0020 0.0130	2.7510 2.7540	0.3750	4.1875
2PW-PWR38M50-XX	2 3/8	2.3835 2.3875	3.1294 3.1314	3.125 3.128	0.0014 0.0064	2.3750 2.3730	0.0021 0.0131	2.8760 2.8790	0.3750	4.5000
2PW-PWR40M52-XX	2 1/2	2.5086 2.5126	3.2544 3.2564	3.250 3.253	0.0014 0.0064	2.5000 2.4980	0.0022 0.0132	3.0010 3.0040	0.3750	4.8125
2PW-PWR44M56-XX	2 3/4	2.7588 2.7628	3.5045 3.5065	3.500 3.503	0.0015 0.0065	2.7500 2.7470	0.0023 0.0143	3.2510 3.2540	0.3750	5.4375
2PW-PWR48M60-XX	3	3.0090 3.0130	3.7546 3.7566	3.750 3.753	0.0016 0.0066	3.0000 2.9970	0.0024 0.0144	3.5010 3.5040	0.3750	6.1250
2PW-PWR52M64-XX	3 1/4	3.2592 3.2632	4.0047 4.0067	4.000 4.003	0.0017 0.0067	3.2500 3.2470	0.0025 0.0145	3.7510 3.7540	0.3750	6.8750
2PW-PWR56M68-XX	3 1/2	3.5095 3.5135	4.2548 4.2568	4.250 4.253	0.0018 0.0068	3.5000 3.4970	0.0027 0.0147	4.0010 4.0040	0.3750	7.1250
2PW-PWR60M76-XX	3 3/4	3.7597 3.7637	4.7549 4.7569	4.750 4.753	0.0019 0.0069	3.7500 3.7470	0.0028 0.0148	4.5001 4.5031	0.3750	7.6250
2PW-PWR64M78-XX	4	4.0099 4.0139	4.8800 4.8820	4.875 4.878	0.0020 0.0070	4.0000 3.9970	0.0029 0.0149	4.6260 4.6290	0.3750	8.3125
2PW-PWR68M82-XX	4 1/4	4.2601 4.2641	5.1301 5.1321	5.125 5.128	0.0021 0.0071	4.2500 4.2470	0.0030 0.0150	4.8760 4.8790	0.3750	9.0625
2PW-PWR72M86-XX	4 1/2	4.5104 4.5144	5.3802 5.3822	5.375 5.378	0.0022 0.0072	4.5000 4.4970	0.0032 0.0152	5.1260 5.1290	0.3750	9.8125
2PW-PWR76M90-XX	4 3/4	4.7606 4.7646	5.6303 5.6323	5.625 5.628	0.0023 0.0073	4.7500 4.7470	0.0033 0.0153	5.3760 5.3790	0.3750	10.5625
2PW-PWR80M94-XX	5	5.0108 5.0148	5.8804 5.8824	5.875 5.878	0.0024 0.0074	5.0000 4.9970	0.0034 0.0154	5.6260 5.6290	0.3750	11.3750

SINGLE SEAL WITH SHOULDER


Example: 1SW-PWR16M24-12 (MRP Series Lined Bearing: 1.00" ID x 1.50" OD x 0.75" Long
(with a polyurethane snap-in wiper seal)



BEARING PART NUMBER	NOMINAL ID	ID	OD	BORE DIAMETER	PRESS FIT	PIN DIAMETER	RUNNING CLEARANCE	GROOVE DIAMETER	GROOVE WIDTH (+/-0.010)	SHOULDER DIAMETER (+/-0.010)	SHOULDER WIDTH (+/-0.010)	MAXIMUM BEARING LENGTH 1 SEAL (+/-0.010)
1SW-PWR08M14-XX	1/2	0.5058 0.5088	0.8775 0.8795	0.875 0.877	0.0005 0.0045	0.5000 0.4980	0.0013 0.0103	0.7495 0.7545	0.1240 0.1280	0.6600	0.1000	0.5625
1SW-PWR10M16-XX	5/8	0.6309 0.6339	1.0026 1.0046	1.000 1.002	0.0006 0.0046	0.6250 0.6230	0.0013 0.0103	0.8746 0.8796	0.1240 0.1280	0.7850	0.1000	0.6875
1SW-PWR12M20-XX	3/4	0.7560 0.7590	1.2526 1.2546	1.250 1.252	0.0006 0.0046	0.7500 0.7480	0.0014 0.0104	1.1246 1.1296	0.1870 0.1910	0.9950	0.1250	0.8125
1SW-PWR14M22-XX	7/8	0.8811 0.8841	1.3777 1.3797	1.375 1.377	0.0007 0.0047	0.8750 0.8730	0.0014 0.0104	1.2497 1.2547	0.1870 0.1910	1.1200	0.1250	0.9375
1SW-PWR16M24-XX	1	1.0062 1.0092	1.5027 1.5047	1.500 1.502	0.0007 0.0047	1.0000 0.9980	0.0015 0.0105	1.3747 1.3797	0.1870 0.1910	1.2450	0.1250	1.1250
1SW-PWR18M26-XX	1 1/8	1.1314 1.1344	1.6278 1.6298	1.625 1.627	0.0008 0.0048	1.1250 1.1230	0.0016 0.0106	1.4998 1.5048	0.1870 0.1910	1.3700	0.1250	1.2500
1SW-PWR20M28-XX	1 1/4	1.2564 1.2594	1.7528 1.7548	1.750 1.752	0.0008 0.0048	1.2500 1.2480	0.0016 0.0106	1.6248 1.6298	0.1870 0.1910	1.4950	0.1250	1.4375
1SW-PWR22M30-XX	1 3/8	1.3816 1.3856	1.8779 1.8799	1.875 1.877	0.0009 0.0049	1.3750 1.3730	0.0017 0.0117	1.7499 1.7549	0.1870 0.1910	1.6200	0.1250	1.5625
1SW-PWR24M32-XX	1 1/2	1.5067 1.5107	2.0029 2.0049	2.000 2.002	0.0009 0.0049	1.5000 1.4980	0.0018 0.0118	1.8749 1.8799	0.1870 0.1910	1.7450	0.1250	1.8125
1SW-PWR26M34-XX	1 5/8	1.6318 1.6358	2.1280 2.1300	2.125 2.127	0.0010 0.0050	1.6250 1.6230	0.0018 0.0118	2.0000 2.0050	0.1870 0.1910	1.8700	0.1250	2.0000
1SW-PWR28M36-XX	1 3/4	1.7569 1.7609	2.2530 2.2550	2.250 2.252	0.0010 0.0050	1.7500 1.7480	0.0019 0.0119	2.1250 2.1300	0.1870 0.1910	1.9950	0.1250	2.0000
1SW-PWR30M38-XX	1 7/8	1.8820 1.8860	2.3781 2.3801	2.375 2.377	0.0011 0.0051	1.8750 1.8730	0.0019 0.0119	2.2501 2.2551	0.1870 0.1910	2.1200	0.1250	2.1875
1SW-PWR32M42-XX	2	2.0071 2.0111	2.6292 2.6312	2.625 2.628	0.0012 0.0062	2.0000 1.9980	0.0009 0.0119	2.5001 2.5051	0.2490 0.2530	2.3270	0.1875	2.1875
1SW-PWR34M44-XX	2 1/8	2.1333 2.1373	2.7542 2.7562	2.750 2.753	0.0012 0.0062	2.1250 2.1230	0.0021 0.0131	2.6257 2.6304	0.2490 0.2530	2.4520	0.1875	2.3750
1SW-PWR36M46-XX	2 1/4	2.2583 2.2623	2.8793 2.8813	2.875 2.878	0.0013 0.0063	2.2500 2.2480	0.0020 0.0130	2.7507 2.7555	0.2490 0.2530	2.5770	0.1875	2.3750
1SW-PWR38M48-XX	2 3/8	2.3835 2.3875	3.0043 3.0063	3.000 3.003	0.0013 0.0063	2.3750 2.3730	0.0022 0.0132	2.8758 2.8805	0.2490 0.2530	2.7020	0.1875	2.5625
1SW-PWR40M50-XX	2 1/2	2.5086 2.5126	3.1294 3.1314	3.125 3.128	0.0014 0.0064	2.5000 2.4980	0.0022 0.0132	3.0008 3.0056	0.2490 0.2530	2.8270	0.1875	2.6875
1SW-PWR44M54-XX	2 3/4	2.7588 2.7628	3.3795 3.3815	3.375 3.378	0.0015 0.0065	2.7500 2.7470	0.0023 0.0143	3.2509 3.2557	0.2490 0.2530	3.0770	0.1875	3.0625
1SW-PWR48M58-XX	3	3.0090 3.0130	3.6296 3.6316	3.625 3.628	0.0016 0.0066	3.0000 2.9970	0.0024 0.0144	3.5010 3.5058	0.2490 0.2530	3.3270	0.1875	3.5000
1SW-PWR52M62-XX	3 1/4	3.2592 3.2632	3.8797 3.8817	3.875 3.878	0.0017 0.0067	3.2500 3.2470	0.0025 0.0145	3.7511 3.7559	0.2490 0.2530	3.5770	0.1875	3.8750
1SW-PWR56M66-XX	3 1/2	3.5095 3.5135	4.1298 4.1318	4.125 4.128	0.0018 0.0068	3.5000 3.4970	0.0027 0.0147	4.0012 4.0060	0.2490 0.2530	3.8270	0.1875	4.3125
1SW-PWR60M70-XX	3 3/4	3.7597 3.7637	4.3799 4.3819	4.375 4.378	0.0019 0.0069	3.7500 3.7470	0.0028 0.0148	4.2513 4.2561	0.2490 0.2530	4.0770	0.1875	4.7500
1SW-PWR64M74-XX	4	4.0099 4.0139	4.6300 4.6320	4.625 4.628	0.0020 0.0070	4.0000 3.9970	0.0029 0.0149	4.5014 4.5062	0.2490 0.2530	4.3270	0.1875	5.0000
1SW-PWR68M78-XX	4 1/4	4.2601 4.2641	4.8801 4.8821	4.875 4.878	0.0021 0.0071	4.2500 4.2470	0.0030 0.0150	4.7515 4.7563	0.2490 0.2530	4.5770	0.1875	5.2500
1SW-PWR72M86-XX	4 1/2	4.5104 4.5144	5.3802 5.3822	5.375 5.378	0.0022 0.0072	4.5000 4.4970	0.0032 0.0152	5.2516 5.2564	0.3740 0.3780	4.9930	0.2500	5.3750
1SW-PWR76M90-XX	4 3/4	4.7606 4.7646	5.6303 5.6323	5.625 5.628	0.0023 0.0073	4.7500 4.7470	0.0033 0.0153	5.5017 5.5065	0.3740 0.3780	5.2430	0.2500	5.7500
1SW-PWR80M94-XX	5	5.0108 5.0148	5.8804 5.8824	5.875 5.878	0.0024 0.0074	5.0000 4.9970	0.0034 0.0154	5.7518 5.7566	0.3740 0.3780	5.4930	0.2500	5.8125

SINGLE SEAL WITH SHOULDER


Example: 1SW-PWR16M26-24 (MRP Series Lined Bearing: 1.00" ID x 1.625" OD x 1.50" Long
(with a polyurethane snap-in wiper seal)



BEARING PART NUMBER	NOMINAL ID	ID	OD	BORE DIAMETER	PRESS FIT	PIN DIAMETER	RUNNING CLEARANCE	GROOVE DIAMETER	GROOVE WIDTH (+/-0.010)	SHOULDER DIAMETER (+/-0.010)	SHOULDER WIDTH (+/-0.010)	MAXIMUM BEARING LENGTH 1 SEAL (+/-0.010)
1SW-PWR08M16-XX	1/2	0.5058 0.5088	1.0026 1.0046	1.000 1.002	0.0006 0.0046	0.5000 0.4980	0.0012 0.0102	0.7495 0.7545	0.1240 0.1280	0.6600	0.1000	0.9375
1SW-PWR10M18-XX	5/8	0.6309 0.6339	1.1276 1.1296	1.125 1.127	0.0006 0.0046	0.6250 0.6230	0.0013 0.0103	0.8746 0.8796	0.1240 0.1280	0.7850	0.1000	1.1250
1SW-PWR12M22-XX	3/4	0.7560 0.7590	1.3777 1.3797	1.375 1.377	0.0007 0.0047	0.7500 0.7480	0.0013 0.0103	1.1246 1.1296	0.1870 0.1910	0.9950	0.1250	1.3750
1SW-PWR14M24-XX	7/8	0.8811 0.8841	1.5027 1.5047	1.500 1.502	0.0007 0.0047	0.8750 0.8730	0.0014 0.0104	1.2497 1.2547	0.1870 0.1910	1.1200	0.1250	1.6250
1SW-PWR16M26-XX	1	1.0062 1.0092	1.6278 1.6298	1.625 1.627	0.0008 0.0048	1.0000 0.9980	0.0014 0.0104	1.3747 1.3797	0.1870 0.1910	1.2450	0.1250	1.8750
1SW-PWR18M28-XX	1 1/8	1.1314 1.1344	1.7528 1.7548	1.750 1.752	0.0008 0.0048	1.1250 1.1230	0.0016 0.0106	1.4998 1.5048	0.1870 0.1910	1.3700	0.1250	2.1250
1SW-PWR20M30-XX	1 1/4	1.2564 1.2594	1.8779 1.8799	1.875 1.877	0.0009 0.0049	1.2500 1.2480	0.0015 0.0105	1.6248 1.6298	0.1870 0.1910	1.4950	0.1250	2.3750
1SW-PWR22M32-XX	1 3/8	1.3816 1.3856	2.0029 2.0049	2.000 2.002	0.0009 0.0049	1.3750 1.3730	0.0017 0.0117	1.7499 1.7549	0.1870 0.1910	1.6200	0.1250	2.6875
1SW-PWR24M34-XX	1 1/2	1.5067 1.5107	2.1280 2.1300	2.125 2.127	0.0010 0.0050	1.5000 1.4980	0.0017 0.0117	1.8749 1.8799	0.1870 0.1910	1.7450	0.1250	3.0000
1SW-PWR26M36-XX	1 5/8	1.6318 1.6358	2.2530 2.2550	2.250 2.252	0.0010 0.0050	1.6250 1.6230	0.0018 0.0118	2.0000 2.0050	0.1870 0.1910	1.8700	0.1250	3.3125
1SW-PWR28M38-XX	1 3/4	1.7569 1.7609	2.3781 2.3801	2.375 2.377	0.0011 0.0051	1.7500 1.7480	0.0018 0.0118	2.1250 2.1300	0.1870 0.1910	1.9950	0.1250	3.4375
1SW-PWR30M40-XX	1 7/8	1.8820 1.8860	2.5041 2.5061	2.500 2.502	0.0021 0.0061	1.8750 1.8730	0.0009 0.0109	2.2501 2.2551	0.1870 0.1910	2.1200	0.1250	3.4375
1SW-PWR32M44-XX	2	2.0071 2.0111	2.7542 2.7562	2.750 2.753	0.0012 0.0062	2.0000 1.9980	0.0009 0.0119	2.5001 2.5051	0.2490 0.2530	2.3270	0.1875	3.6250
1SW-PWR34M46-XX	2 1/8	2.1333 2.1373	2.8793 2.8813	2.875 2.878	0.0013 0.0063	2.1250 2.1230	0.0020 0.0130	2.6257 2.6304	0.2490 0.2530	2.4520	0.1875	3.6875
1SW-PWR36M48-XX	2 1/4	2.2583 2.2623	3.0043 3.0063	3.000 3.003	0.0013 0.0063	2.2500 2.2480	0.0020 0.0130	2.7507 2.7555	0.2490 0.2530	2.5770	0.1875	4.0000
1SW-PWR38M50-XX	2 3/8	2.3835 2.3875	3.1294 3.1314	3.125 3.128	0.0014 0.0064	2.3750 2.3730	0.0021 0.0131	2.8758 2.8805	0.2490 0.2530	2.7020	0.1875	4.3125
1SW-PWR40M52-XX	2 1/2	2.5086 2.5126	3.2544 3.2564	3.250 3.253	0.0014 0.0064	2.5000 2.4980	0.0022 0.0132	3.0008 3.0056	0.2490 0.2530	2.8270	0.1875	4.6250
1SW-PWR44M56-XX	2 3/4	2.7588 2.7628	3.5045 3.5065	3.500 3.503	0.0015 0.0065	2.7500 2.7470	0.0023 0.0143	3.2509 3.2557	0.2490 0.2530	3.0770	0.1875	5.2500
1SW-PWR48M60-XX	3	3.0090 3.0130	3.7546 3.7566	3.750 3.753	0.0016 0.0066	3.0000 2.9970	0.0024 0.0144	3.5010 3.5058	0.2490 0.2530	3.3270	0.1875	5.9375
1SW-PWR52M64-XX	3 1/4	3.2592 3.2632	4.0047 4.0067	4.000 4.003	0.0017 0.0067	3.2500 3.2470	0.0025 0.0145	3.7511 3.7559	0.2490 0.2530	3.5770	0.1875	6.6875
1SW-PWR56M68-XX	3 1/2	3.5095 3.5135	4.2548 4.2568	4.250 4.253	0.0018 0.0068	3.5000 3.4970	0.0027 0.0147	4.0012 4.0060	0.2490 0.2530	3.8270	0.1875	7.3750
1SW-PWR60M72-XX	3 3/4	3.7597 3.7637	4.5049 4.5069	4.500 4.503	0.0019 0.0069	3.7500 3.7470	0.0028 0.0148	4.2513 4.2561	0.2490 0.2530	4.0770	0.1875	8.1875
1SW-PWR64M76-XX	4	4.0099 4.0139	4.7550 4.7570	4.750 4.753	0.0020 0.0070	4.0000 3.9970	0.0029 0.0149	4.5014 4.5062	0.2490 0.2530	4.3270	0.1875	8.7500
1SW-PWR68M80-XX	4 1/4	4.2601 4.2641	5.0051 5.0071	5.000 5.003	0.0021 0.0071	4.2500 4.2470	0.0030 0.0150	4.7515 4.7563	0.2490 0.2530	4.5770	0.1875	8.9375
1SW-PWR72M88-XX	4 1/2	4.5104 4.5144	5.5053 5.5073	5.500 5.503	0.0023 0.0073	4.5000 4.4970	0.0031 0.0151	5.2516 5.2564	0.3740 0.3780	4.9930	0.2500	9.4375
1SW-PWR76M92-XX	4 3/4	4.7606 4.7646	5.7554 5.7574	5.750 5.753	0.0024 0.0074	4.7500 4.7470	0.0032 0.0152	5.5017 5.5065	0.3740 0.3780	5.2430	0.2500	9.7500
1SW-PWR80M96-XX	5	5.0108 5.0148	6.0055 6.0075	6.000 6.003	0.0025 0.0075	5.0000 4.9970	0.0033 0.0153	5.7518 5.7566	0.3740 0.3780	5.4930	0.2500	10.1250

DOUBLE SEAL WITH SHOULDERS


Example: 2SW-PWR20M28-24 (MRP Series Lined Bearing: 1.25" ID x 1.75" OD x 1.5" Long
(with two polyurethane snap-in wiper seals)



BEARING PART NUMBER	NOMINAL ID	ID	OD	BORE DIAMETER	PRESS FIT	PIN DIAMETER	RUNNING CLEARANCE	GROOVE DIAMETER	GROOVE WIDTH (+/-0.010)	SHOULDER DIAMETER (+/-0.010)	SHOULDER WIDTH (+/-0.010)	MAXIMUM BEARING LENGTH 2 SEALS (+/-0.010)
2SW-PWR08M14-XX	1/2	0.5058 0.5088	0.8775 0.8795	0.875 0.877	0.0005 0.0045	0.5000 0.4980	0.0013 0.0103	0.7495 0.7545	0.1240 0.1280	0.6600	0.1000	0.6875
2SW-PWR10M16-XX	5/8	0.6309 0.6339	1.0026 1.0046	1.000 1.002	0.0006 0.0046	0.6250 0.6230	0.0013 0.0103	0.8746 0.8796	0.1240 0.1280	0.7850	0.1000	0.8125
2SW-PWR12M20-XX	3/4	0.7560 0.7590	1.2526 1.2546	1.250 1.252	0.0006 0.0046	0.7500 0.7480	0.0014 0.0104	1.1246 1.1296	0.1870 0.1910	0.9950	0.1250	1.0000
2SW-PWR14M22-XX	7/8	0.8811 0.8841	1.3777 1.3797	1.375 1.377	0.0007 0.0047	0.8750 0.8730	0.0014 0.0104	1.2497 1.2547	0.1870 0.1910	1.1200	0.1250	1.1250
2SW-PWR16M24-XX	1	1.0062 1.0092	1.5027 1.5047	1.500 1.502	0.0007 0.0047	1.0000 0.9980	0.0015 0.0105	1.3747 1.3797	0.1870 0.1910	1.2450	0.1250	1.2500
2SW-PWR18M26-XX	1 1/8	1.1314 1.1344	1.6278 1.6298	1.625 1.627	0.0008 0.0048	1.1250 1.1230	0.0016 0.0106	1.4998 1.5048	0.1870 0.1910	1.3700	0.1250	1.4375
2SW-PWR20M28-XX	1 1/4	1.2564 1.2594	1.7528 1.7548	1.750 1.752	0.0008 0.0048	1.2500 1.2480	0.0016 0.0106	1.6248 1.6298	0.1870 0.1910	1.4950	0.1250	1.5625
2SW-PWR22M30-XX	1 3/8	1.3816 1.3856	1.8779 1.8799	1.875 1.877	0.0009 0.0049	1.3750 1.3730	0.0017 0.0117	1.7499 1.7549	0.1870 0.1910	1.6200	0.1250	1.7500
2SW-PWR24M32-XX	1 1/2	1.5067 1.5107	2.0029 2.0049	2.000 2.002	0.0009 0.0049	1.5000 1.4980	0.0018 0.0118	1.8749 1.8799	0.1870 0.1910	1.7450	0.1250	1.9375
2SW-PWR26M34-XX	1 5/8	1.6318 1.6358	2.1280 2.1300	2.125 2.127	0.0010 0.0050	1.6250 1.6230	0.0018 0.0118	2.0000 2.0050	0.1870 0.1910	1.8700	0.1250	2.1250
2SW-PWR28M36-XX	1 3/4	1.7569 1.7609	2.2530 2.2550	2.250 2.252	0.0010 0.0050	1.7500 1.7480	0.0019 0.0119	2.1250 2.1300	0.1870 0.1910	1.9950	0.1250	2.2500
2SW-PWR30M38-XX	1 7/8	1.8820 1.8860	2.3781 2.3801	2.375 2.377	0.0011 0.0051	1.8750 1.8730	0.0019 0.0119	2.2501 2.2551	0.1870 0.1910	2.1200	0.1250	2.3750
2SW-PWR32M42-XX	2	2.0071 2.0111	2.6292 2.6312	2.625 2.628	0.0012 0.0062	2.0000 1.9980	0.0009 0.0119	2.5001 2.5051	0.2490 0.2530	2.3270	0.1875	2.4375
2SW-PWR34M44-XX	2 1/8	2.1333 2.1373	2.7542 2.7562	2.750 2.753	0.0012 0.0062	2.1250 2.1230	0.0021 0.0131	2.6257 2.6304	0.2490 0.2530	2.4520	0.1875	2.5625
2SW-PWR36M46-XX	2 1/4	2.2583 2.2623	2.8793 2.8813	2.875 2.878	0.0013 0.0063	2.2500 2.2480	0.0020 0.0130	2.7507 2.7555	0.2490 0.2530	2.5770	0.1875	2.5625
2SW-PWR38M48-XX	2 3/8	2.3835 2.3875	3.0043 3.0063	3.000 3.003	0.0013 0.0063	2.3750 2.3730	0.0022 0.0132	2.8758 2.8805	0.2490 0.2530	2.7020	0.1875	2.7500
2SW-PWR40M50-XX	2 1/2	2.5086 2.5126	3.1294 3.1314	3.125 3.128	0.0014 0.0064	2.5000 2.4980	0.0022 0.0132	3.0008 3.0056	0.2490 0.2530	2.8270	0.1875	2.9375
2SW-PWR44M54-XX	2 3/4	2.7588 2.7628	3.3795 3.3815	3.375 3.378	0.0015 0.0065	2.7500 2.7470	0.0023 0.0143	3.2509 3.2557	0.2490 0.2530	3.0770	0.1875	3.3125
2SW-PWR48M58-XX	3	3.0090 3.0130	3.6296 3.6316	3.625 3.628	0.0016 0.0066	3.0000 2.9970	0.0024 0.0144	3.5010 3.5058	0.2490 0.2530	3.3270	0.1875	3.6875
2SW-PWR52M62-XX	3 1/4	3.2592 3.2632	3.8797 3.8817	3.875 3.878	0.0017 0.0067	3.2500 3.2470	0.0025 0.0145	3.7511 3.7559	0.2490 0.2530	3.5770	0.1875	4.1250
2SW-PWR56M66-XX	3 1/2	3.5095 3.5135	4.1298 4.1318	4.125 4.128	0.0018 0.0068	3.5000 3.4970	0.0027 0.0147	4.0012 4.0060	0.2490 0.2530	3.8270	0.1875	4.5625
2SW-PWR60M70-XX	3 3/4	3.7597 3.7637	4.3799 4.3819	4.375 4.378	0.0019 0.0069	3.7500 3.7470	0.0028 0.0148	4.2513 4.2561	0.2490 0.2530	4.0770	0.1875	5.0000
2SW-PWR64M74-XX	4	4.0099 4.0139	4.6300 4.6320	4.625 4.628	0.0020 0.0070	4.0000 3.9970	0.0029 0.0149	4.5014 4.5062	0.2490 0.2530	4.3270	0.1875	5.3125
2SW-PWR68M78-XX	4 1/4	4.2601 4.2641	4.8801 4.8821	4.875 4.878	0.0021 0.0071	4.2500 4.2470	0.0030 0.0150	4.7515 4.7563	0.2490 0.2530	4.5770	0.1875	5.4375
2SW-PWR72M86-XX	4 1/2	4.5104 4.5144	5.3802 5.3822	5.375 5.378	0.0022 0.0072	4.5000 4.4970	0.0032 0.0152	5.2516 5.2564	0.3740 0.3780	4.9930	0.2500	5.6875
2SW-PWR76M90-XX	4 3/4	4.7606 4.7646	5.6303 5.6323	5.625 5.628	0.0023 0.0073	4.7500 4.7470	0.0033 0.0153	5.5017 5.5065	0.3740 0.3780	5.2430	0.2500	5.9375
2SW-PWR80M94-XX	5	5.0108 5.0148	5.8804 5.8824	5.875 5.878	0.0024 0.0074	5.0000 4.9970	0.0034 0.0154	5.7518 5.7566	0.3740 0.3780	5.4930	0.2500	6.1250

DOUBLE SEAL WITH SHOULDERS

Example: 2SW-PWR16M26-20 (MRP Series Lined Bearing: 1.00" ID x 1.625" OD x 1.25" Long
(with two polyurethane snap-in wiper seals)



BEARING PART NUMBER	NOMINAL ID	ID	OD	BORE DIAMETER	PRESS FIT	PIN DIAMETER	RUNNING CLEARANCE	GROOVE DIAMETER	GROOVE WIDTH (+/-0.010)	SHOULDER DIAMETER (+/-0.010)	SHOULDER WIDTH (+/-0.010)	MAXIMUM BEARING LENGTH 2 SEALS (+/-0.010)
2SW-PWR08M16-XX	1/2	0.5058 0.5088	1.0026 1.0046	1.000 1.002	0.0006 0.0046	0.5000 0.4980	0.0012 0.0102	0.7495 0.7545	0.1240 0.1280	0.6600	0.1000	1.0000
2SW-PWR10M18-XX	5/8	0.6309 0.6339	1.1276 1.1296	1.125 1.127	0.0006 0.0046	0.6250 0.6230	0.0013 0.0103	0.8746 0.8796	0.1240 0.1280	0.7850	0.1000	1.2500
2SW-PWR12M22-XX	3/4	0.7560 0.7590	1.3777 1.3797	1.375 1.377	0.0007 0.0047	0.7500 0.7480	0.0013 0.0103	1.1246 1.1296	0.1870 0.1910	0.9950	0.1250	1.5625
2SW-PWR14M24-XX	7/8	0.8811 0.8841	1.5027 1.5047	1.500 1.502	0.0007 0.0047	0.8750 0.8730	0.0014 0.0104	1.2497 1.2547	0.1870 0.1910	1.1200	0.1250	1.7500
2SW-PWR16M26-XX	1	1.0062 1.0092	1.6278 1.6298	1.625 1.627	0.0008 0.0048	1.0000 0.9980	0.0014 0.0104	1.3747 1.3797	0.1870 0.1910	1.2450	0.1250	2.0000
2SW-PWR18M28-XX	1 1/8	1.1314 1.1344	1.7528 1.7548	1.750 1.752	0.0008 0.0048	1.1250 1.1230	0.0016 0.0106	1.4998 1.5048	0.1870 0.1910	1.3700	0.1250	2.3125
2SW-PWR20M30-XX	1 1/4	1.2564 1.2594	1.8779 1.8799	1.875 1.877	0.0009 0.0049	1.2500 1.2480	0.0015 0.0105	1.6248 1.6298	0.1870 0.1910	1.4950	0.1250	2.5625
2SW-PWR22M32-XX	1 3/8	1.3816 1.3856	2.0029 2.0049	2.000 2.002	0.0009 0.0049	1.3750 1.3730	0.0017 0.0117	1.7499 1.7549	0.1870 0.1910	1.6200	0.1250	2.8750
2SW-PWR24M34-XX	1 1/2	1.5067 1.5107	2.1280 2.1300	2.125 2.127	0.0010 0.0050	1.5000 1.4980	0.0017 0.0117	1.8749 1.8799	0.1870 0.1910	1.7450	0.1250	3.1250
2SW-PWR26M36-XX	1 5/8	1.6318 1.6358	2.2530 2.2550	2.250 2.252	0.0010 0.0050	1.6250 1.6230	0.0018 0.0118	2.0000 2.0050	0.1870 0.1910	1.8700	0.1250	3.5000
2SW-PWR28M38-XX	1 3/4	1.7569 1.7609	2.3781 2.3801	2.375 2.377	0.0011 0.0051	1.7500 1.7480	0.0018 0.0118	2.1250 2.1300	0.1870 0.1910	1.9950	0.1250	3.5625
2SW-PWR30M40-XX	1 7/8	1.8820 1.8860	2.5041 2.5061	2.500 2.502	0.0021 0.0061	1.8750 1.8730	0.0009 0.0109	2.2501 2.2551	0.1870 0.1910	2.1200	0.1250	3.6875
2SW-PWR32M44-XX	2	2.0071 2.0111	2.7542 2.7562	2.750 2.753	0.0012 0.0062	2.0000 1.9980	0.0009 0.0119	2.5001 2.5051	0.2490 0.2530	2.3270	0.1875	3.8125
2SW-PWR34M46-XX	2 1/8	2.1333 2.1373	2.8793 2.8813	2.875 2.878	0.0013 0.0063	2.1250 2.1230	0.0020 0.0130	2.6257 2.6304	0.2490 0.2530	2.4520	0.1875	3.9375
2SW-PWR36M48-XX	2 1/4	2.2583 2.2623	3.0043 3.0063	3.000 3.003	0.0013 0.0063	2.2500 2.2480	0.0020 0.0130	2.7507 2.7555	0.2490 0.2530	2.5770	0.1875	4.2500
2SW-PWR38M50-XX	2 3/8	2.3835 2.3875	3.1294 3.1314	3.125 3.128	0.0014 0.0064	2.3750 2.3730	0.0021 0.0131	2.8758 2.8805	0.2490 0.2530	2.7020	0.1875	4.5000
2SW-PWR40M52-XX	2 1/2	2.5086 2.5126	3.2544 3.2564	3.250 3.253	0.0014 0.0064	2.5000 2.4980	0.0022 0.0132	3.0008 3.0056	0.2490 0.2530	2.8270	0.1875	4.8750
2SW-PWR44M56-XX	2 3/4	2.7588 2.7628	3.5045 3.5065	3.500 3.503	0.0015 0.0065	2.7500 2.7470	0.0023 0.0143	3.2509 3.2557	0.2490 0.2530	3.0770	0.1875	5.5000
2SW-PWR48M60-XX	3	3.0090 3.0130	3.7546 3.7566	3.750 3.753	0.0016 0.0066	3.0000 2.9970	0.0024 0.0144	3.5010 3.5058	0.2490 0.2530	3.3270	0.1875	6.1875
2SW-PWR52M64-XX	3 1/4	3.2592 3.2632	4.0047 4.0067	4.000 4.003	0.0017 0.0067	3.2500 3.2470	0.0025 0.0145	3.7511 3.7559	0.2490 0.2530	3.5770	0.1875	6.8750
2SW-PWR56M68-XX	3 1/2	3.5095 3.5135	4.2548 4.2568	4.250 4.253	0.0018 0.0068	3.5000 3.4970	0.0027 0.0147	4.0012 4.0060	0.2490 0.2530	3.8270	0.1875	7.6250
2SW-PWR60M72-XX	3 3/4	3.7597 3.7637	4.5049 4.5069	4.500 4.503	0.0019 0.0069	3.7500 3.7470	0.0028 0.0148	4.2513 4.2561	0.2490 0.2530	4.0770	0.1875	8.3750
2SW-PWR64M76-XX	4	4.0099 4.0139	4.7550 4.7570	4.750 4.753	0.0020 0.0070	4.0000 3.9970	0.0029 0.0149	4.5014 4.5062	0.2490 0.2530	4.3270	0.1875	9.0625
2SW-PWR68M80-XX	4 1/4	4.2601 4.2641	5.0051 5.0071	5.000 5.003	0.0021 0.0071	4.2500 4.2470	0.0030 0.0150	4.7515 4.7563	0.2490 0.2530	4.5770	0.1875	9.1875
2SW-PWR72M88-XX	4 1/2	4.5104 4.5144	5.5053 5.5073	5.500 5.503	0.0023 0.0073	4.5000 4.4970	0.0031 0.0151	5.2516 5.2564	0.3740 0.3780	4.9930	0.2500	9.7500
2SW-PWR76M92-XX	4 3/4	4.7606 4.7646	5.7554 5.7574	5.750 5.753	0.0024 0.0074	4.7500 4.7470	0.0032 0.0152	5.5017 5.5065	0.3740 0.3780	5.2430	0.2500	10.0000
2SW-PWR80M96-XX	5	5.0108 5.0148	6.0055 6.0075	6.000 6.003	0.0025 0.0075	5.0000 4.9970	0.0033 0.0153	5.7518 5.7566	0.3740 0.3780	5.4930	0.2500	10.4375